

L Number	Hits	Search Text	DB	Time stamp
1	186	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
15	431	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
22	160	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
29	127	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
36	182	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
43	194	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
50	0	(73/861.74.ccls. 600/538.ccls. 73/861.75.ccls. 73/861.76.ccls. 73/861.71.ccls. 482/13.ccls. ) and ((slot hole orifice opening) near6 (scale mark\$4)) same ((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:41
57	1	((slot hole orifice opening) near6 (scale mark\$4)) same ((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:47
64	34	((slot hole orifice opening) near6 (scale mark\$4)) and ((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:13
71	5	(73/861.74.ccls. 600/538.ccls. 73/861.75.ccls. 73/861.76.ccls. 73/861.71.ccls. 482/13.ccls. ) and ((slot hole mouth vent orifice opening) near6 (scale mark\$4)) and ((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:56
78	36	((slot hole mouth vent orifice opening) near6 (scale mark\$4)) and ((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:02
85	5	((slot hole orifice opening) near8 (scale index mark\$4)) and ((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) and ((back\$4 near4 pressure) near4 restrict\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:03

92	1	2889707.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:03
99	5	((slot hole orifice opening) near8 (scale index mark\$4)) and ((flow anemometer flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) and ((back\$4 near4 pressure) near4 restrict\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:12
106	5	((slot hole orifice opening) near8 (scale index mark\$4)) and ((flow spirometer anemometer flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) and ((back\$4 near4 pressure) near4 restrict\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:12
-	177	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	0	128/716.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	374	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	181	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
-	18	482/13.ccls. and vent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:45
-	36	600/538.ccls. and vent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	156	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	125	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	175	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14

-	47	600/538.ccls. and (vent blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:46
-	26	482/13.ccls. and (vent blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:54
-	17	5277195.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:52
-	0	5613497.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:54
-	20	("2889707" "3797480" "4041935" "4638812" "5224487" "5253651" "5277195").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:00
-	0	air near filtet near2 hexagon\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:01
-	2	air near filter near2 hexagon\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:02
-	2	air near2 filter near2 hexagon\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:03
-	69	filter near2 hexagon\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:03
-	0	73/861.7\$.ccls. and (remov\$5 near2 filter) and hexa\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:35
-	13	73/861.7\$.ccls. and (remov\$5 near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:37
-	0	73/861.7\$.ccls. and (hexa\$6 near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:39

-	122	73/861.7\$.ccls. and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:43
-	9	73/861.7\$.ccls. and (air near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:47
-	6	("5277195" "5253651").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:47
-	339	((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 16:58
-	19	((((flow flowmeter volume) near4 (detect\$4 indicat\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)) and ((post pin column\$4) same (hub hob))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 16:55
-	469	((flow flowmeter volume) near4 (detect\$4 indicat\$4 meter\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:22
-	74	((((flow flowmeter volume) near4 (detect\$4 indicat\$4 meter\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)) and hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:19
-	21	((((flow flowmeter volume) near4 (detect\$4 indicat\$4 meter\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)) and hub) not (torque engine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:19
-	8	( peak near4 (flow flowmeter volume) near4 (detect\$4 indicat\$4 meter\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:28
-	0	((maximum high\$4 peak greatest) near4 (flow flowmeter volume) near4 (detect\$4 indicat\$4 meter\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane) same hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:36
-	29	((maximum high\$4 peak greatest) near4 (flow flowmeter volume) near4 (detect\$4 indicat\$4 meter\$4 determin\$4 estimat\$4 sens\$4 calculat\$4 monitor\$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:36
-	183	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:55

-	0	128/716.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	402	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	189	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	159	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:40
-	126	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:40
-	178	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:40
-	30	(73/861.74.ccls. 600/538.ccls. 482/13.ccls. 73/861.75.ccls. 73/861.76.ccls. 73/861.71.ccls. ) and ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:23
-	1092	(vane blade turbine windmill) near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:09
-	2001	(vane blade turbine windmill) near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:41
-	49	((vane blade turbine windmill) near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4))) and ((flow volume) near4 (meter\$4 determin\$4 detect\$4 sens\$4 measur\$4 estimat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:59
-	107	((vane blade turbine windmill) near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4))) and ((flow volume) near4 (meter\$4 determin\$4 detect\$4 sens\$4 measur\$4 estimat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:57
-	518	(vane blade turbine windmill) near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4)) same (pin post shaft beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:19

-	25	((vane blade turbine windmill) near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4)) same (pin post shaft beam)) and ((flow volume) near4 (meter\$4 determin\$4 detect\$4 sens\$4 measur\$4 estimat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:11
-	4	spirometer same hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:11
-	0	spirometer near6 ((hub base support\$4 element member) near4 ( limit\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4)) same (pin post shaft beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:35
-	0	spirometer near6 ((hub base support\$4 element member) near4 ( limit\$4 restrict\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4)) same (pin post shaft beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:42
-	1	spirometer near6 ((hub base support\$4 element member) near4 ( limit\$4 restrict\$4 predetermined pre?determined control\$4 maximum) near4 (move\$4 displac\$4 traslat\$4 rotat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:49